




Chenabore 400

Chenabore 400 Hammer

Chenalord
drilling supplies





Component Parts

Item No.	Description	Item No.	Description
1	Back Head	10	Cylinder Stop Ring
2	O-Ring	11	Wear Sleeve
3	Buffer Ring	12	Piston
4	Air Guide	13	Piston Stop Ring
5	Air Check Valve	14	Bearing O-Ring
6	Check Valve Spring	15	Bearing
7	Air Distributor	16	O-Ring
8	O-Ring	17	Bit Retaining Ring
9	Cylinder	18	Chuck

Air Pressure Regulating with Choke

Size	150 PSI	200 PSI	250 PSI	300 PSI	350 PSI	400 PSI
1/8"	375	595	760	925	1060	1205
1/4"	425	665	845	1095	1270	1350

4"

Length (w/o drill bit) 40.55" (1,029.88mm)

Outside Diameter 3.86" (98mm)

Weight (w/o bit) 84 lbs. (38kg)

Cylinder Bore 3.23" (82mm)

Piston Stroke 3.74" (95mm)

Piston Weight 24.5 lbs. (11 kg)

Top Thread 2.3/8" API Reg Pin
Optional 2.7/8" available

Hole Sizes 4" (101mm)
6" (152.4mm)

Air Pressure Consumption 150 psi (240 CFM)
250 psi (440 CFM)
300 psi (540 CFM)

Spanner Size A/F 3.1/8" (80mm)

Connection Std. 2.3/8" API Reg Pin
(Other connections available by special order)

PRODUCT CODES

Complete Hammer CB400

Backhead CB401

O-Ring CB402

Buffer Ring CB403

Air Guide CB404

Air Check Valve CB405

Check Valve Spring CB406

Air Distributor CB407

O-Ring CB408

Cylinder CB409

Cylinder Stop Ring CB410

Wearsleave CB411

Piston CB412

Piston Stop Ring CB413

Bearing O-Ring CB414

Bearing CB415

O-Ring CB416

Bit Retaining Ring CB417

Chuck CB418

5"

Length (w/o drill bit) 48.18" (1,147.45mm)

Outside Diameter 4.53" (115mm)

Weight (w/o bit) 142 lbs. (65kg)

Cylinder Bore 3.74" (95mm)

Piston Stroke 3.35" (85mm)

Piston Weight 29.5 lbs. (13.5 kg)

Top Thread 3.1/2" API Reg Pin
Optional 2.7/8" available

Hole Sizes 5" (127mm)
6.5" (165.1mm)

Air Pressure Consumption 150 psi (280 CFM)
250 psi (520 CFM)
300 psi (660 CFM)

Spanner Size A/F 3.1/2" (88mm)

Connection Std. 3.1/2" API Reg Pin
(Other connections available by special order)

Complete Hammer CB500

Backhead CB501

O-Ring CB502

Buffer Ring CB503

Air Guide CB504

Air Check Valve CB505

Check Valve Spring CB506

Air Distributor CB507

O-Ring CB508

Cylinder CB509

Cylinder Stop Ring CB510

Wearsleave CB511

Piston CB512

Piston Stop Ring CB513

Bearing O-Ring CB514

Bearing CB515

O-Ring CB516

Bit Retaining Ring CB517

Chuck CB518

6"

Length (w/o drill bit) 49.8" (1,267mm)

Outside Diameter 5.4" (137mm)

Weight (w/o bit) 216 lbs. (98kg)

Cylinder Bore 4.48" (114mm)

Piston Stroke 3.94" (100mm)

Piston Weight 44 lbs. (20 kg)

Top Thread 3.1/2" API Reg Pin

Hole Sizes 6" (152mm)
8" (203mm)

Air Pressure Consumption 150 psi (350 CFM)
250 psi (720 CFM)
300 psi (995 CFM)

Spanner Size A/F 4" (101mm)

Connection Std. 3.1/2" API Reg Pin
(Other connections available by special order)

PRODUCT CODES

Complete Hammer CB600

Backhead CB601

O-Ring CB602

Buffer Ring CB603

Air Guide CB604

Air Check Valve CB605

Check Valve Spring CB606

Air Distributor CB607

O-Ring CB608

Cylinder CB609

Cylinder Stop Ring CB610

Wearsleave CB611

Piston CB612

Piston Stop Ring CB613

Bearing O-Ring CB614

Bearing CB615

O-Ring CB616

Bit Retaining Ring CB617

Chuck CB618

Chenabore 400 Hammer



Unit 3, Turnoaks Industrial Estate, Burley Close, off Storforth Lane, Birdholme, Chesterfield S40 2HA

T +44 (0)1246 208745

F +44 (0)1246 277227

E enquiries@chenalord.co.uk

W www.chenalord.com